



Technical Datasheet

Product Name	Product Code
BM TOP GR 9B	A L5 105

Texbond
nonwovens

material	laminate structure	type	colour
polypropylene	S/F	breathable	Gray /Natur

Properties

Properties	Dir.	Unit	Method	Typical value
Mass per unit area	-	g/m ²	EN 1849-2	105
Tensile strength	MD	N/5cm	EN 12311-2*	190
Tensile strength	CD	N/5cm	EN 12311-2*	150
Elongation at break	MD	%	EN 12311-2*	60
Elongation at break	CD	%	EN 12311-2*	65
Tear strenght (nail shank)	MD	N	EN 12310-1*	125
Tear strenght (nail shank)	CD	N	EN 12310-1*	145
Water penetration resist.	-	cm	EN 20811	200
Sd-value	-	m	EN ISO 12572	0,04
UV stability	-	months	-	4
Temperature resistance	-	°C	-	- 40 / + 80

* Folded sample as per EN13859-1

The figures provided in this datasheet are consistent with the current state of our knowledge, and are intended to provide general information on our product and its applications. They are not a guarantee of any specific product attribute or the suitability of the product for a specific application.

issue date:9/6/2007